

SAFETY DATA SHEET

Aceton

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier Trade name Aceton Other means of identification Index No.: 606-001-00-8 EC No.: 200-662-2 CAS No.: 67-64-1 Unique formula identifier (UFI) 25VH-E6CS-5A0G-NP9K 1.2. Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses of the substance or mixture Solvent - Industrial purposes. Restricted to professional users. Uses advised against None known. 1.3. Details of the supplier of the safety data sheet Company and address Solveco AB Tallbacksgatan 10 S-195 72 Rosersberg Sweden T: +46 (0)8 732 72 75 F: +46 (0)8 732 72 76 http://www.solveco.se Contact person Habib Hourani E-mail info@solveco.se Revision 20/10/2023 **SDS Version** 3.0 Date of previous version 28/09/2023 (2.0) 1.4. Emergency telephone number Contact The National Poisons Information Service (dial 111, 24 h service). See section 4 "First aid measures". SECTION 2: Hazards identification

2.1. Classification of the substance or mixture Flam. Liq. 2; H225, Highly flammable liquid and vapour. Eye Irrit. 2; H319, Causes serious eye irritation. STOT SE 3; H336, May cause drowsiness or dizziness.
2.2. Label elements Hazard pictogram(s)





Danger

Hazard statement(s)

Highly flammable liquid and vapour. (H225) Causes serious eye irritation. (H319) May cause drowsiness or dizziness. (H336)

Precautionary statement(s)

General

Prevention

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. (P210) Wear protective gloves/protective clothing/eye protection/face protection. (P280)

▼ Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. (P305+P351+P338)

If eye irritation persists: Get medical advice/attention. (P337+P313)

Storage

Store in a well-ventilated place. Keep cool. (P403+P235)

Disposal

Dispose of contents/container in accordance with local regulation

(P501)

Hazardous substances

Acetone

Additional labelling

EUH066, Repeated exposure may cause skin dryness or cracking.

UFI: 25VH-E6CS-5A0G-NP9K

2.3. Other hazards

Additional warnings

This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.

This product does not contain any substances considered to be endocrine disruptors in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

SECTION 3: Composition/information on ingredients

3.1. Substances

Product/substance	Identifiers	% w/w	Classification	Note
Acetone	CAS No.: 67-64-1 EC No.: 200-662-2 UK-REACH: Index No.: 606-001-00-8	100%	EUH066 Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336	[1]

3.2. Mixtures

Not applicable. This product is a substance.

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

Other information

[1] European occupational exposure limit.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

Inhalation

Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with him/her.



Skin contact

IF ON SKIN: Wash with plenty of water and soap.

Remove contaminated clothing and shoes. Ensure to wash exposed skin thoroughly with water and soap. DO NOT use solvents or thinners.

If skin irritation occurs: Get medical advice/attention.

Eye contact

If in eyes: Flush eyes immediately with plenty of water or isotonic water (20-30 °C) for at least 5 minutes and continue until irritation stops. Remove contact lenses. Make sure to flush under upper and lower eyelids. If irritation continues, contact a doctor. Continue flushing during transport.

Ingestion

If the person is conscious, rinse the mouth with water and stay with the person. Never give the person anything to drink.

In case of malaise, seek medical advice immediately and bring the safety data sheet or label from the product. Do not induce vomiting, unless recommended by the doctor. Have the person lean forward with head down to avoid inhalation of or choking on vomited material.

Burns

Rinse with water until pain stops then continue to rinse for 30 minutes.

4.2. Most important symptoms and effects, both acute and delayed

Irritation effects: This product contains substances, which may cause irritation upon exposure to skin, eyes or lungs. Exposure may result in an increased absorption potential of other hazardous substances at the area of exposure. Neurotoxic effects: This product contains organic solvents, which may cause adverse effects to the nervous system. Symptoms of neurotoxicity include: loss of appetite, headache, dizziness, ringing in ears, tingling sensations of skin, sensitivity to the cold, cramps, difficulty in concentrating, tiredness, etc. Repeated exposure to solvents can result in the breaking down of the skin's natural fat layer and may result in an increased absorption potential of other hazardous substances at the area of exposure.

4.3. Indication of any immediate medical attention and special treatment needed

If eye irritation persists: Get medical advice/attention.

Information to medics

Bring this safety data sheet or the label from this product.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media: Alcohol-resistant foam, carbon dioxide, powder, water mist. Unsuitable extinguishing media: Waterjets should not be used, since they can spread the fire.

5.2. Special hazards arising from the substance or mixture

Highly flammable liquid and vapour.

In use may form flammable/explosive vapour-air mixture.

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are produced. These are:

Carbon oxides (CO / CO2)

5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact The National Poisons Information Service (dial 111, 24 h service) in order to obtain further advice.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Storages not yet ignited must be cooled by water mist. Remove flammable materials if conditions allow it. Ensure sufficient ventilation.

Ensure adequate ventilation, especially in confined areas. Avoid inhalation of vapours from spilled material. Contaminated areas may be slippery.

6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc. Keep unauthorized persons away from the spill

6.3. Methods and material for containment and cleaning up

Limit spillage and collect using granular absorbent or similar materials, and dispose of it in accordance with the



regulations on dangerous waste.

Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

6.4. Reference to other sections

See section 13 "Disposal considerations" on handling of waste.

See section 8 "Exposure controls/personal protection" for protective measures.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Ground and bond container and receiving equipment.

Use explosion-proof [electrical/lighting/ventilating] equipment.

Use non-sparking tools.

Take action to prevent static discharges.

Because of the danger of self-ignition, any waste from the product, spray mist and soiled rags etc. are to be kept in a fire-proof place in air-tight containers, alternatively the waste is to be burned.

Avoid contact during pregnancy and while nursing.

Smoking, drinking and consumption of food is not allowed in the work area.

See section 8 "Exposure controls/personal protection" for information on personal protection.

7.2. Conditions for safe storage, including any incompatibilities

Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

Take action to prevent static discharges.

Must be stored in a cool and well-ventilated area, away from possible sources of ignition.

Recommended storage material

Always store in containers of the same material as the original container.

Storage temperature

Dry, cool and well ventilated

Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Acetone

Long term exposure limit (8 hours) (ppm): 500 Long term exposure limit (8 hours) (mg/m³): 1210 Short term exposure limit (15 minutes) (ppm): 1500 Short term exposure limit (15 minutes) (mg/m³): 3620

The Control of Substances Hazardous to Health Regulations 2002. SI 2002/2677 The Stationery Office 2002. EH40/2005 Workplace exposure limits (Fourth Edition 2020).

DNEL

No data available.

PNEC

No data available.

8.2. Exposure controls

Compliance with the given occupational exposure limits values should be controlled on a regular basis.

General recommendations

Smoking, drinking and consumption of food is not allowed in the work area.

Exposure scenarios

There are no exposure scenarios implemented for this product.

Exposure limits

Professional users are subjected to the legally set maximum concentrations for occupational exposure. See occupational hygiene limit values above.

Appropriate technical measures

The formation of vapours must be kept at a minimum and below current limit values (see above). Installation of a local exhaust system if normal air flow in the work room is not sufficient is recommended. Ensure eyewash and



emergency showers are clearly marked.

Apply standard precautions during use of the product. Avoid inhalation of vapours.

Hygiene measures

In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Always wash hands, forearms and face.

Measures to avoid environmental exposure

No specific requirements.

Individual protection measures, such as personal protective equipment

Generally

Use only UKCA marked protective equipment.

Respiratory Equipment

Work situation	Туре	Class	Colour	Standards	
If ventilation at the work place is insufficient, use a half- or full mask with an appropriate filter or an air-supplied breathing apparatus.	AX	Class 1 (low capacity)	Brown	EN14387	
in protection					
Recommended	Type/Category		Standards		

Recommended	Type/Category	Stanuarus	
Dedicated work clothing should be worn.	-	-	R

Hand protection

Material	Glove thickness (mm)	Breakthrough time (min.)	Standards	
Butyl	-	-	EN374-2, EN374-3, EN388, EN421	

Eye protection

Туре	Standards	
Use face protection or safety glasses with side shields.		E

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties Physical state Liquid
Colour
Colourless
Odour / Odour threshold
Characteristic
рН
Testing not relevant or not possible due to the nature of the product.
Density (g/cm³)
0.79
Kinematic viscosity
Testing not relevant or not possible due to the nature of the product.
Particle characteristics
Does not apply to liquids.
Phase changes
Melting point/Freezing point (°C) -95



```
Softening point/range (waxes and pastes) (°C)
     Does not apply to liquids.
  Boiling point (°C)
     56
  Vapour pressure
     24 kPa (20 °C)
  Relative vapour density
     2
  Decomposition temperature (°C)
     Testing not relevant or not possible due to the nature of the product.
Data on fire and explosion hazards
  Flash point (°C)
      -18.0
  Flammability (°C)
     465 - 540
  Auto-ignition temperature (°C)
     Testing not relevant or not possible due to the nature of the product.
  Lower and upper explosion limit (% v/v)
     2 - 13
Solubility
  Solubility in water
     Completely soluble
  n-octanol/water coefficient
     -0.2
  Solubility in fat (q/L)
     Testing not relevant or not possible due to the nature of the product.
9.2. Other information
  Evaporation rate (n-butylacetate = 100)
     5.6
  Other physical and chemical parameters
     No data available.
  Oxidizing properties
     Testing not relevant or not possible due to the nature of the product.
SECTION 10: Stability and reactivity
10.1. Reactivity
  No data available.
10.2. Chemical stability
  The product is stable under the conditions, noted in section 7 "Handling and storage".
10.3. Possibility of hazardous reactions
  None known.
10.4. Conditions to avoid
  Avoid static electricity.
  Do not expose to any forms of heat (e.g. solar radiation). May lead to excess pressure.
10.5. Incompatible materials
  Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.
10.6. Hazardous decomposition products
  The product is not degraded when used as specified in section 1.
SECTION 11: Toxicological information
11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008
```

Acute toxicity

Product/substance	Acetone
Species:	Rat
Route of exposure:	Oral
Test:	LD50
Result:	5800.00 mg/kg



Product/substanceAcetoneSpecies:RatRoute of exposure:InhalatiTest:LC50 (4Result:76.00 m	tion 1 hours)
---	------------------

Acetone
Rabbit
Dermal
LD50
20000.00 mg/kg

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Serious eye damage/irritation

Causes serious eye irritation.

Respiratory sensitisation

Based on available data, the classification criteria are not met.

Skin sensitisation

Based on available data, the classification criteria are not met. Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Carcinogenicity

Based on available data, the classification criteria are not met.

Reproductive toxicity

Based on available data, the classification criteria are not met.

STOT-single exposure

May cause drowsiness or dizziness.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Long term effects

Irritation effects: This product contains substances, which may cause irritation upon exposure to skin, eyes or lungs. Exposure may result in an increased absorption potential of other hazardous substances at the area of exposure. Neurotoxic effects: This product contains organic solvents, which may cause adverse effects to the nervous system. Symptoms of neurotoxicity include: loss of appetite, headache, dizziness, ringing in ears, tingling sensations of skin, sensitivity to the cold, cramps, difficulty in concentrating, tiredness, etc. Repeated exposure to solvents can result in the breaking down of the skin's natural fat layer and may result in an increased absorption potential of other hazardous substances at the area of exposure.

Endocrine disrupting properties

This mixture/product does not contain any substances considered to have hormone-disrupting properties in relation to health.

Other information

None known.

SECTION 12: Ecological information

12.1. Toxicity

Product/substance	Acetone
Species:	Fish (Lepomis macrochinus)
	· · · · · · · · · · · · · · · · · · ·
Duration:	96 hours
Test:	LC50
Result:	8300.00 mg/L
	5



Product/substance Species: Duration:	Acetone Daphnia (Daphnia magna) 48 hours
Test:	EC50
Result:	10.00 mg/L

12.2. Persistence and degradability

tetone
es
DD5/COD
96

12.3. Bioaccumulative potential

Product/substance	Acetone
Potential bioaccumulation:	No
LogPow:	No data available.
BCF:	0.69

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.

12.6. Endocrine disrupting properties

This mixture/product does not contain any substances considered to have endocrine-disrupting properties in relation to the environment.

12.7. Other adverse effects

None known.

SECTION 13: Disposal considerations

13.1. ▼ Waste treatment methods

Product is covered by the regulations on hazardous waste. (*)

HP 3 - Flammable

HP 4 - Irritant (skin irritation and eye damage)

Dispose of contents/container to an approved waste disposal plant.

Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.

EWC code

14 06 03* Other solvents and solvent mixtures

Contaminated packing

Packaging containing residues of the product must be disposed of similarly to the product.

SECTION 14: Transport information

	14.1 14.2 UN / ID UN proper shipping name	14.3 Hazard class(es)	14.4 PG*	14.5 Env**	Other information:
ADR	UN1090 ACETONE	Transport hazard class: 3 Label: 3 Classification code: F1	Π	No	Limited quantities: 1 L Tunnel restriction code: (D/E) See below for additional information.
IMDG	UN1090 ACETONE	Transport hazard class: 3 Label: 3 Classification code: F1	Π	No	Limited quantities: 1 L EmS: F-E S-D See below for additional information.
IATA	UN1090 ACETONE	Transport hazard class: 3	II	No	See below for



	14.3 Hazard class(es)	14.4 PG*	14.5 Env**	Other informatior
	Label: 3 Classification code: F1			additional information.
 Packing group Environmental hazards Additional information ADR / See Table A, section 3.2.1 for any inform with transport. See section 5.4.3, for instruction accidents during transport. IMDG / See section 3.2.1, for any information transport. IATA / See Table 4.2 for any information on sp transport. This product is within scope of the regulation I4.6. Special precautions for user Not applicable. I4.7. Maritime transport in bulk according to IM No data available. 	ons in writing regarding mitigat on special provisions, requirem pecial provisions, requirements, s of transport of dangerous goo	ion of damages ir ents, or warnings or warnings in co	in conn	to incidents ection with
SECTION 15: Regulatory information				
 15.1. Safety, health and environmental regulation Restrictions for application Restricted to professional users. People under the age of 18 shall not be ex Pregnant women and women breastfeeding precautions or design of the workplace net Demands for specific education No specific requirements. SEVESO - Categories / dangerous substances 	posed to this product. ng must not be exposed to this reded to eliminate exposure, mu	product. The risk,	and pos	sible technic

Full text of H-phrases as mentioned in section 3

EUH066, Repeated exposure may cause skin dryness or cracking. H225, Highly flammable liquid and vapour.



H319, Causes serious eye irritation. H336, May cause drowsiness or dizziness. Abbreviations and acronyms ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor CAS = Chemical Abstracts Service CE = Conformité Européenne (European conformity) CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008] CSA = Chemical Safety Assessment CSR = Chemical Safety Report DMEL = Derived Minimal Effect Level DNEL = Derived No Effect Level EINECS = European Inventory of Existing Commercial chemical Substances ES = Exposure Scenario EUH statement = CLP-specific Hazard statement EuPCS = European Product Categorisation System EWC = European Waste Catalogue GHS = Globally Harmonized System of Classification and Labelling of Chemicals IARC = International Agency for Research on Cancer (IARC) IATA = International Air Transport Association IBC = Intermediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) OECD = Organisation for Economic Co-operation and Development PBT = Persistent, Bioaccumulative and Toxic PNEC = Predicted No Effect Concentration RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail RRN = REACH Registration Number SCL = A specific concentration limit SVHC = Substances of Very High Concern STOT-RE = Specific Target Organ Toxicity - Repeated Exposure STOT-SE = Specific Target Organ Toxicity - Single Exposure TWA = Time weighted average UN = United Nations UVBC = Unknown or variable composition, complex reaction products or of biological materials VOC = Volatile Organic Compound vPvB = Very Persistent and Very Bioaccumulative Additional information The classification of the substance/mixture in regard of health hazards are in accordance with the calculation methods given by Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law. The classification of the mixture in regard to physical hazards has been based on experimental data. The safety data sheet is validated by Christian Andersson Other A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a blue triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

Country-language: GB-en