

SAFETY DATA SHEET

Formaldehyd 4% med fosfatbuffert

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name

Formaldehyd 4% med fosfatbuffert

Unique formula identifier (UFI)

E1R5-1DNK-V797-0FS4

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

Histology/Pathology

Restricted to professional users.

Uses advised against

None known.

1.3. Details of the supplier of the safety data sheet

Company and address

Solveco AB

Tallbacksgatan 10

S-195 72 Rosersberg

Sweden

T: +46 (0)8 732 72 75

F: +46 (0)8 732 72 76

<http://www.solveco.se>

Contact person

Habib Hourani

E-mail

info@solveco.se

Revision

08/04/2024

SDS Version

7.0

1.4. Emergency telephone number

In urgent situations: Call 112 and request the poison information centre. (24h service)

In less severe situations: Call 010-456 6700 (24h service)

See also section 4 "First aid measures".

SECTION 2: Hazards identification

Classified according to Regulation (EC) No. 1272/2008 (CLP).

2.1. Classification of the substance or mixture

Acute Tox. 4; H302, Harmful if swallowed.

Skin Sens. 1; H317, May cause an allergic skin reaction.

Acute Tox. 4; H332, Harmful if inhaled.

Muta. 2; H341, Suspected of causing genetic defects.

Carc. 1B; H350, May cause cancer.

2.2. Label elements

Hazard pictogram(s)



Signal word

Danger

Hazard statement(s)

Harmful if swallowed or if inhaled. (H302+H332)
 May cause an allergic skin reaction. (H317)
 Suspected of causing genetic defects. (H341)
 May cause cancer. (H350)

Precautionary statement(s)

General

-

Prevention

Obtain special instructions before use. (P201)
 Avoid breathing mist/vapour. (P261)
 Wear eye protection/protective gloves/protective clothing. (P280)

Response

IF ON SKIN: Wash with plenty of water and soap. (P302+P352)
 IF exposed or concerned: Get medical advice/attention. (P308+P313)
 If skin irritation or rash occurs: Get medical advice/attention. (P333+P313)

Storage

-

Disposal

Dispose of contents/container in accordance with local regulation (P501)

Hazardous substances

Formaldehyde
 Methanol

Additional labelling

Restricted to professional users.
 UFI: E1R5-1DNK-V797-0FS4
 Active substance(s):
 Formaldehyde (4 g/100g)

2.3. Other hazards

Additional warnings

This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification.
 This product does not contain any substances considered to be endocrine disruptors in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable. This product is a mixture.

3.2. Mixtures

Product/substance	Identifiers	% w/w	Classification	Note
Water	CAS No.: 7732-18-5 EC No.: 231-791-2 REACH: Index No.:	95-100%		
Formaldehyde	CAS No.: 50-00-0 EC No.: 200-001-8 REACH: 01-2119488953-20-XXXX Index No.: 605-001-00-5	4%	Acute Tox. 3, H301 Acute Tox. 3, H311 Skin Corr. 1B, H314 (SCL: 25.00 %) Skin Irrit. 2, H315 (SCL: 5.00 %) Skin Sens. 1, H317 (SCL: 0.20 %) Eye Irrit. 2, H319 (SCL: 5.00 %) Acute Tox. 2, H330 Acute Tox. 3, H331 STOT SE 3, H335 (SCL: 5.00 %) Muta. 2, H341 Carc. 1B, H350	[1], [3]
Methanol	CAS No.: 67-56-1	< 0,2%	Flam. Liq. 2, H225	[1], [3]

EC No.: 200-659-6	Acute Tox. 3, H301
REACH: 01-2119433307- 44-xxxx	Acute Tox. 3, H311
Index No.: 603-001-00-X	Acute Tox. 3, H331
	STOT SE 1, H370
	STOT SE 2, H371 (SCL: 3.00 %)

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

Other information

[1] European occupational exposure limit.

[3] According to REACH, Annex XVII, the substance is subject to restrictions.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

IF EXPOSED OR CONCERNED: Get medical advice/attention.

Inhalation

IF INHALED: Move to fresh air and keep at rest in a position comfortable for breathing. If symptoms: Call 112/ambulance for medical assistance. If no symptoms: Call a POISON CENTRE or a doctor.

Skin contact

IF ON SKIN: Take off all contaminated clothing and wash it before reuse. Wash skin with water. If skin irritation or rash occur: Get medical advice.

Eye contact

If in eyes: Flush eyes with water or saline water (20-30 °C) for at least 5 minutes. Remove contact lenses. Seek medical assistance and continue flushing during transport.

Ingestion

IF SWALLOWED: Rinse mouth. If symptoms: Call 112/ambulance for medical assistance. If no symptoms: Call a POISON CENTRE or a doctor.

Burns

Not applicable.

4.2. Most important symptoms and effects, both acute and delayed

Sensitisation: This product contains substances, which may trigger allergic reaction upon dermal contact.

Manifestation of allergic reactions typically takes place within 12-72 hours after exposure.

4.3. Indication of any immediate medical attention and special treatment needed

IF exposed or concerned:

Get immediate medical advice/attention.

If skin irritation or rash occurs: Get medical advice/attention.

Information to medics

Initiate life support measures if needed, thereafter call a POISON CENTRE.

Bring this safety data sheet or the label from this product.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Not applicable.

5.2. Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are produced. These are:

Carbon oxides (CO / CO₂)

5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact The National Poisons Information Service (dial 111, 24 h service) in order to obtain further advice.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Avoid direct contact with spilled substances.
Ensure adequate ventilation, especially in confined areas.
Avoid inhalation of vapours from spilled material.
Contaminated areas may be slippery.

6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc. In the event of leakage to the surroundings, contact local environmental authorities.

6.3. Methods and material for containment and cleaning up

Limit spillage and collect using granular absorbent or similar materials, and dispose of it in accordance with the regulations on dangerous waste.
Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.
Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

6.4. Reference to other sections

See section 13 "Disposal considerations" on handling of waste.
See section 8 "Exposure controls/personal protection" for protective measures.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid direct contact with the product.
Avoid contact during pregnancy and while nursing.
Smoking, drinking and consumption of food is not allowed in the work area.
See section 8 "Exposure controls/personal protection" for information on personal protection.

7.2. Conditions for safe storage, including any incompatibilities

Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

Recommended storage material

Keep only in original packaging.

Storage temperature

Room temperature 18 to 23°C

Incompatible materials

reducing agents

Bases

Metal

strong acids

Strong oxidizing agents

7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Formaldehyde

Short term exposure limit (15 minutes) (ppm): 0,6

Short term exposure limit (15 minutes) (mg/m³): 0,74

Long term exposure limit (8 hours) (ppm): 0,3

Long term exposure limit (8 hours) (mg/m³): 0,37

Annotations:

C = The substance is carcinogenic.

H = The substance is easily absorbed through the skin.

S = The substance is sensitizing.

Methanol

Short term exposure limit (15 minutes) (ppm): 250

Short term exposure limit (15 minutes) (mg/m³): 350

Long term exposure limit (8 hours) (ppm): 200

Long term exposure limit (8 hours) (mg/m³): 250

Annotations:

H = The substance is easily absorbed through the skin.

V = Indicative short term limit.

Occupational exposure limits (AFS 2018:1) and later amendment AFS 2020:6 and AFS 2021:3.

DNEL

Formaldehyde

Duration:	Route of exposure:	DNEL:
Long term – Local effects - General population	Dermal	12 µg/cm ²
Long term – Local effects - Workers	Dermal	37 µg/cm ²
Long term – Systemic effects - General population	Dermal	102 mg/kg bw/day
Long term – Systemic effects - Workers	Dermal	240 mg/kg bw/day
Long term – Local effects - General population	Inhalation	100 µg/m ³
Long term – Local effects - Workers	Inhalation	375 µg/m ³
Long term – Systemic effects - General population	Inhalation	3.2 mg/m ³
Long term – Systemic effects - Workers	Inhalation	9 mg/m ³
Short term – Local effects - Workers	Inhalation	750 µg/m ³
Long term – Systemic effects - General population	Oral	4.1 mg/kg bw/day

Methanol

Duration:	Route of exposure:	DNEL:
Long term – Systemic effects - General population	Dermal	8 mg/kg BW/d
Long term – Systemic effects - Workers	Dermal	40 mg/kg BW/d
Long term – Systemic effects - Workers	Dermal	40 mg/kg BW/d
Short term – Systemic effects - General population	Dermal	8 mg/kg BW/d
Long term – Local effects - General population	Inhalation	50 mg/m ³
Long term – Local effects - Workers	Inhalation	260 mg/m ³
Long term – Systemic effects - General population	Inhalation	50 mg/m ³
Long term – Systemic effects - Workers	Inhalation	260 mg/m ³
Short term – Local effects - General population	Inhalation	50 mg/m ³
Short term – Local effects - Workers	Inhalation	260 mg/m ³
Short term – Systemic effects - General population	Inhalation	50 mg/m ³
Short term – Systemic effects - Workers	Inhalation	260 mg/m ³
Long term – Systemic effects - General population	Oral	8 mg/kg BW/d
Short term – Systemic effects - General population	Oral	8 mg/kg BW/d

PNEC

Formaldehyde

Route of exposure:	Duration of Exposure:	PNEC:
Freshwater		440 µg/L
Freshwater sediment		2.3 mg/kg
Intermittent release (freshwater)		4.44 mg/L
Marine water		440 µg/L
Marine water sediment		2.3 mg/kg
Sewage treatment plant		190 µg/L
Soil		200 µg/kg

Methanol

Route of exposure:	Duration of Exposure:	PNEC:
Freshwater		154 mg/l
Freshwater sediment		570,4 mg/kg
Marine water		15,4 mg/l
Soil		23,5 mg/kg

8.2. Exposure controls

Compliance with the given occupational exposure limits values should be controlled on a regular basis.

General recommendations

Smoking, drinking and consumption of food is not allowed in the work area.

Exposure scenarios

There are no exposure scenarios implemented for this product.

Exposure limits

Professional users are subjected to the legally set maximum concentrations for occupational exposure. See occupational hygiene limit values above.

Appropriate technical measures

Do not recirculate outlet air that contain the substances.

The formation of vapours must be kept at a minimum and below current limit values (see above). Installation of a local exhaust system if normal air flow in the work room is not sufficient is recommended. Ensure eyewash and emergency showers are clearly marked.

Apply standard precautions during use of the product. Avoid inhalation of vapours.

Hygiene measures

In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Pay special attention to hands, forearms and face.

Measures to avoid environmental exposure


Keep damming materials near the workplace. If possible, collect spillage during work.

Individual protection measures, such as personal protective equipment


Generally

Use only CE marked protective equipment.

Respiratory Equipment

Work situation	Type	Class	Colour	Standards	
If ventilation at the work place is insufficient, use a half- or full mask with an appropriate filter or an air-supplied breathing apparatus.	A+	-	Brown/olivegreen	EN14387	

Skin protection

Recommended	Type/Category	Standards	
Dedicated work clothing should be worn.	-	-	

Hand protection

Material	Glove thickness (mm)	Breakthrough time (min.)	Standards	
Butyl	-	-	EN374-2, EN374-3, EN388, EN421	
Nitrile	-	-	EN374-2	

Eye protection

Type	Standards
Wear safety glasses with side shields.	EN166



SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state

Liquid

Colour

Colourless

Odour / Odour threshold

Sharp/pungent (Odour threshold: 0,05-1 ppm)

pH

7.0

Density (g/cm³)

1.017

Kinematic viscosity

Testing not relevant or not possible due to the nature of the product.

Particle characteristics

Does not apply to liquids.

Phase changes

Melting point/Freezing point (°C)

Testing not relevant or not possible due to the nature of the product.

Softening point/range (waxes and pastes) (°C)

Does not apply to liquids.

Boiling point (°C)

Testing not relevant or not possible due to the nature of the product.

Vapour pressure

0.19 kPa (20 °C)

Relative vapour density

Testing not relevant or not possible due to the nature of the product.

Decomposition temperature (°C)

Testing not relevant or not possible due to the nature of the product.

Data on fire and explosion hazards

Flash point (°C)

Testing not relevant or not possible due to the nature of the product.

Flammability (°C)

Testing not relevant or not possible due to the nature of the product.

Auto-ignition temperature (°C)

Testing not relevant or not possible due to the nature of the product.

Lower and upper explosion limit (% v/v)

Testing not relevant or not possible due to the nature of the product.

Solubility

Solubility in water

Completely soluble

n-octanol/water coefficient (LogKow)

Testing not relevant or not possible due to the nature of the product.

Solubility in fat (g/L)

Testing not relevant or not possible due to the nature of the product.

9.2. Other information

Other physical and chemical parameters

No data available.

Oxidizing properties

Testing not relevant or not possible due to the nature of the product.

SECTION 10: Stability and reactivity

10.1. Reactivity

No data available.

10.2. Chemical stability

The product is stable under the conditions, noted in section 7 "Handling and storage".

10.3. Possibility of hazardous reactions

None known.

10.4. Conditions to avoid

None known.

10.5. Incompatible materials

reducing agents

Bases

Metal

strong acids

Strong oxidizing agents

10.6. Hazardous decomposition products

The product is not degraded when used as specified in section 1.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Product/substance	Formaldehyde
Species:	Rat
Route of exposure:	Oral
Test:	LD50
Result:	640 mg/kg
Other information:	Test concentration 35%

Product/substance	Formaldehyde
Species:	Rabbit
Route of exposure:	Dermal
Test:	LD50
Result:	270
Other information:	Test concentration 35%

Product/substance	Formaldehyde
Species:	Rat
Route of exposure:	Inhalation
Test:	LC50
Result:	463
Other information:	Test concentration 35%

Product/substance	Methanol
Species:	Rat
Route of exposure:	Inhalation
Test:	LD50
Result:	1187 mg/kg
Other information:	Test concentration 95%

Product/substance	Methanol
Species:	Rabbit
Route of exposure:	Dermal
Test:	LD50
Result:	17100 mg/kg
Other information:	Test concentration 95%

Product/substance	Methanol
Species:	Rat
Route of exposure:	Inhalation
Test:	LC50 (4 hours)

Result: 128,2 mg/L
 Other information: Test concentration 95%

Harmful if swallowed.
 Harmful if inhaled.

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Serious eye damage/irritation

Based on available data, the classification criteria are not met.

Respiratory sensitisation

Based on available data, the classification criteria are not met.

Skin sensitisation

May cause an allergic skin reaction.

Germ cell mutagenicity

Suspected of causing genetic defects.

Carcinogenicity

May cause cancer.

Reproductive toxicity

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Long term effects

Carcinogenic effects: This product contains substances considered or proven to be carcinogenic. The carcinogenic effects may be triggered subsequent to exposure through inhalation, skin contact or ingestion.

Endocrine disrupting properties

This mixture/product does not contain any substances known to have hormone-disrupting properties in relation to health.

Other information

Formaldehyde has been classified by IARC as a group 1 carcinogen.

SECTION 12: Ecological information

12.1. Toxicity

Product/substance	Formaldehyde
Species:	Fish, Brachydanio rerio
Duration:	96 hours
Result:	41

Product/substance	Formaldehyde
Species:	Fish, Pimephales promelas
Result:	24,1 mg/L

Product/substance	Methanol
Species:	Fish (Lepomis macrochinus)
Duration:	96 hours
Test:	LC50
Result:	15400 mg/L

Product/substance	Methanol
Species:	Daphnia (Daphnia magna)
Duration:	48 hours
Test:	EC50
Result:	24500 mg/L

Product/substance	Methanol
Species:	Algae
Duration:	72 hours

Test: IC50
Result: 441 mg/L

12.2. Persistence and degradability

Product/substance: Methanol
Result: 0,4 - 0,8
Conclusion: Readily biodegradable
Test: BOD5/COD

12.3. Bioaccumulative potential

Product/substance: Methanol
BCF: 1
LogKow: -0,64
Conclusion: -

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification.

12.6. Endocrine disrupting properties

This mixture/product does not contain any substances considered to have endocrine-disrupting properties in relation to the environment.

12.7. Other adverse effects

None known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product is covered by the regulations on hazardous waste. (*)
HP 6 - Acute toxicity
HP 7 - Carcinogenic
HP 11 - Mutagenic
Dispose of contents/container to an approved waste disposal plant.
SFS Waste regulation (2020:614).
EWC code
16 03 05* Organic wastes containing dangerous substances

Contaminated packing

Packaging containing residues of the product must be disposed of similarly to the product.

SECTION 14: Transport information

	14.1 UN / ID	14.2 UN proper shipping name	14.3 Hazard class(es)	14.4 PG*	14.5 Env**	Other information:
ADR	-	The product is not covered by international or EU regulations regarding the transport of dangerous goods (IMDG, ICAO / IATA, ADR / RID).		-	No	See below for additional information.
IMDG	-	The product is not covered by international or EU regulations regarding the transport of dangerous goods (IMDG, ICAO / IATA, ADR / RID).		-	No	See below for additional information.
IATA	-	The product is not covered by international or EU regulations regarding the transport of dangerous goods (IMDG, ICAO / IATA, ADR / RID).		-	No	See below for additional information.

* Packing group

** Environmental hazards

[Additional information](#)

Not dangerous goods according to ADR, IATA and IMDG.

14.6. Special precautions for user

Not applicable.

14.7. Maritime transport in bulk according to IMO instruments

No data available.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Restrictions for application

Restricted to professional users.

People under the age of 18 shall not work with this product. This does not apply if the working task is:

- performed by young people who have completed upper secondary education or equivalent education for the task or
- included in teaching that is located in a school premises or other place that is specially arranged for teaching, or
- included in supervisor-led internships for young people.

Pregnant women and women breastfeeding must not be exposed to this product. The risk, and possible technical precautions or design of the workplace needed to eliminate exposure, must be considered.

Demands for specific education

No specific requirements.

SEVESO - Categories / dangerous substances

Formaldehyde

Methanol

Biocidal Products Regulations

Product type: PT22 - Embalming and taxidermist fluids

Restrictions on use

-

Directions for use and dose rate

-

Additional information

-

REACH, Annex XVII

Formaldehyde is subject to REACH restrictions, REACH annex XVII (entry 77).

Methanol is subject to REACH restrictions, REACH annex XVII (entry 69).

Methanol is subject to REACH restrictions, REACH annex XVII (entry 40).

Additional information

Placing the product on the market requires permission from the County Administration (Länsstyrelsen).

Use of the product by private persons requires permission from the County Administration (Länsstyrelsen).

Sources

The Swedish Work Environment Authority's provisions on young peoples' work environment (AFS 2012:3).

The Swedish Work Environment Authority's regulations and general guidelines (AFS 2007:5) on pregnant and breastfeeding workers with later amendments, latest AFS 2018:7.

The Swedish Civil Contingencies Agency 2015:8 regulations on measures to prevent and limit the consequences of serious chemical accidents.

Regulation (EU) No 528/2012 of the European Parliament and of the Council of 22 May 2012 concerning the making available on the market and use of biocidal products.

SFS Waste regulation (2020:614).

The Swedish Chemical Agency's Chemical Products and Biotechnical Organisms Regulations (KIFS 2017:7)

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (CLP).

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

15.2. Chemical safety assessment

No

SECTION 16: Other information

Full text of H-phrases as mentioned in section 3

H225, Highly flammable liquid and vapour.

H301, Toxic if swallowed.

H311, Toxic in contact with skin.
H314, Causes severe skin burns and eye damage.
H315, Causes skin irritation.
H317, May cause an allergic skin reaction.
H319, Causes serious eye irritation.
H330, Fatal if inhaled.
H331, Toxic if inhaled.
H335, May cause respiratory irritation.
H341, Suspected of causing genetic defects.
H350, May cause cancer.
H370, Causes damage to organs.
H371, May cause damage to organs.

Abbreviations and acronyms

ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway
ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE = Acute Toxicity Estimate
BCF = Bioconcentration Factor
CAS = Chemical Abstracts Service
CE = Conformité Européenne (European conformity)
CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]
CSA = Chemical Safety Assessment
CSR = Chemical Safety Report
DMEL = Derived Minimal Effect Level
DNEL = Derived No Effect Level
EINECS = European Inventory of Existing Commercial chemical Substances
ES = Exposure Scenario
EUH statement = CLP-specific Hazard statement
EuPCS = European Product Categorisation System
EWC = European Waste Catalogue
GHS = Globally Harmonized System of Classification and Labelling of Chemicals
IARC = International Agency for Research on Cancer (IARC)
IATA = International Air Transport Association
IBC = Intermediate Bulk Container
IMDG = International Maritime Dangerous Goods
LogPow = logarithm of the octanol/water partition coefficient
MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)
OECD = Organisation for Economic Co-operation and Development
PBT = Persistent, Bioaccumulative and Toxic
PNEC = Predicted No Effect Concentration
RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail
RRN = REACH Registration Number
SCL = A specific concentration limit
SVHC = Substances of Very High Concern
STOT-RE = Specific Target Organ Toxicity - Repeated Exposure
STOT-SE = Specific Target Organ Toxicity - Single Exposure
TWA = Time weighted average
UN = United Nations
UVBC = Unknown or variable composition, complex reaction products or of biological materials
VOC = Volatile Organic Compound
vPvB = Very Persistent and Very Bioaccumulative

Additional information

The classification of the mixture in regard of health hazards is in accordance with the calculation methods given by Regulation (EC) No. 1272/2008 (CLP).

The safety data sheet is validated by
Christian Andersson

Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

Country-language: SE-en